



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

08/984,560

12/03/1997

JEFFEREY S. MAILLOUX

95-0653.01

2301

21186

7590

01/22/2003

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.  
P.O. BOX 2938  
MINNEAPOLIS, MN 55402

EXAMINER

KIM, HONG CHONG

ART UNIT

PAPER NUMBER

2186

DATE MAILED: 01/22/2003

28

Please find below and/or attached an Office communication concerning this application or proceeding.

Q6

## Office Action Summary

Application No.

08/984,560

Applicant(s)

MAILLOUX ET AL.

Examiner

Hong C Kim

Art Unit

2186

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☐ Responsive to communication(s) filed on \_\_\_\_.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 11-21 and 59-71 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 11-21 and 59-71 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

### Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

### Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 27.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

### Detailed Action

1. Claims 11-21 and 59-71 are presented for examination. This office action is in response to the amendment filed on 10/30/02.
2. Receipt is acknowledged of information disclosure statement filed on 11/01/02, which the statement has been placed of record in the file. Information disclosed and listed on PTO 1449 was considered.

### *Claim Rejections - 35 USC § 102*

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

4. Claims 11-21 and 59-71 are rejected under 35 USC 102(b) as being anticipated by *Manning*, U.S. Patent 5,610,864.

As to claim 11, *Manning* discloses the invention as claimed. *Manning* discloses a storage device comprising: control logic (Fig. 1 Ref. 38 and col. 6 lines 26-32) for between a patternless

addressing scheme (col. 5 lines 43-50) and a patterned addressing scheme (col. 6 lines 14-26 and col. 7 lines 43-54) and switching circuit for switching between a first pathway and a second pathway (Fig. 1 Ref. 38 and col. 5 lines 43-50, col. 6 lines 14-32 & col. 7 lines 43-54).

As to claim 12, Manning further discloses the storage device is asynchronous (Fig. 1 and EDO constitutes asynchronous memory, col. 4 line 17).

As to claim 13, Manning further discloses temporary buffer (Fig. 1 Refs. 18 and 34).

As to claim 14, Manning further discloses the external address is temporarily stored in the temporary storage device prior to being sent to a decoder (Fig. 1 Refs. 12 and 30).

As to claim 15, Manning further discloses counter (Fig. 1 Ref 26).

As to claim 16, Manning further discloses the internal address is provided to temp storage device through the switching circuitry (Fig. 1 Refs. 38, 40, 26, 34).

As to claim 17, Manning further discloses a pipeline mode (col. 5 lines 43-50).

As to claim 18, Manning further discloses a burst mode (col. 7 lines 28+).

As to claim 19, Manning further discloses muxes (Fig. 5 Refs. 58, 61 and 66).

As to claim 20, Manning further discloses patternless addressing scheme is for random CAS (col. 5 lines 43-50) and the patterned addressing scheme is for sequence CAS (col. 6 lines 14-26 and col. 7 lines 43-54).

As to claim 21, Manning further the sequence CAS is selected from a group consisting of interleaved (col. 4 lines 56-57) and linear column address access (col. 4 line 56).

As to claims 59 and 60, Manning discloses the invention as claimed. Manning discloses a memory device, comprising:  
a memory array (Fig. 1 Ref. 12);  
control logic operatively connected to the memory array, the control circuit for selecting between an unpatterned pipeline (col. 5 lines 43-50) and a patterned burst data pattern (col. 6 lines 14-26 and col. 7 lines 43-54) for accessing the memory array; and  
switching circuit for switching between a first, burst data pathway and a second, pipeline data pathway depending on which of the burst or pipeline modes of operation is selected (Fig. 1 Ref. 38 and col. 5 lines 43-50, col. 6 lines 14-32 & col. 7 lines 43-54).

As to claim 61, *Manning* discloses the invention as claimed above. *Manning* further discloses a column address decoder for receiving an external column address (Fig. 1 Ref. 30).

As to claim 62, *Manning* discloses the invention as claimed above. *Manning* further discloses a counter (Fig. 1 Ref. 26) and switching circuit for switching between a first pathway and a second pathway depending on which of the patternless addressing scheme or patterned addressing scheme is selected (Fig. 1 Ref. 38 and col. 5 lines 43-50, col. 6 lines 14-32 & col. 7 lines 43-54), wherein the first pathway and the second pathway are coupled to a temporary storage device for providing at least one external address (Fig. 1 Ref. 16) to the switching circuitry, and wherein the counter is coupled to the temporary storage device to receive a selected portion of the external address for generating an internal address (col. 8 line 45).

As to claim 63, *Manning* discloses the invention as claimed above. *Manning* further discloses the internal address is provided to the temporary storage device through the switching circuitry (Fig. 1 Refs. 18 and 26).

As to claim 64, *Manning* discloses the invention as claimed above. *Manning* further discloses the patternless addressing scheme provides a pipeline extended data out pattern (col. 5 lines 43-50).

As to claim 65, Manning discloses the invention as claimed. Manning discloses a storage device, comprising:

control logic for selecting between a patternless addressing scheme (col. 5 lines 43-50) and a patterned addressing scheme (col. 6 lines 14-26 and col. 7 lines 43-54); and  
switching circuit for switching between a first pathway and a second pathway depending on which of the patternless addressing scheme or patterned addressing scheme is selected (Fig. 1 Ref. 38 and col. 5 lines 43-50, col. 6 lines 14-32 & col. 7 lines 43-54), wherein the patternless addressing scheme provides a pipelined extended data out pattern (col. 5 lines 43-50).

As to claim 66, Manning discloses the invention as claimed above. Manning further discloses the patterned addressing scheme provide a burst extended data out pattern (col. 6 lines 14-26 and col. 7 lines 43-54)

As to claim 67, Manning further discloses at least one multiplexed device (Fig. 5 Refs. 58, 61 and 66).

As to claim 68, Manning discloses the invention as claimed. Manning discloses a storage device, comprising:

control logic for selecting between a patternless addressing scheme (col. 5 lines 43-50) and a patterned addressing scheme (col. 6 lines 14-26 and col. 7 lines 43-54); and

switching circuit for switching between a first pathway and a second pathway depending on which of the patternless addressing scheme or patterned addressing scheme is selected (Fig. 1 Ref. 38 and col. 5 lines 43-50, col. 6 lines 14-32 & col. 7 lines 43-54), wherein the patterned addressing scheme provide a burst extended data out pattern (col. 6 lines 14-26 and col. 7 lines 43-54).

As to claim 69, Manning further discloses at least one multiplexed device (Fig. 5 Refs. 58, 61 and 66).

As to claim 70, Manning discloses the invention as claimed. Manning discloses a memory device, comprising:  
a memory array (Fig. 1 Ref. 12) operable in a burst or a pipelined mode of operation (col. 6 lines 14-26, col. 7 lines 43-54, and col. 5 lines 43-50);  
control logic for selecting between a the pipeline mode of operation (col. 5 lines 43-50) and the burst mode of operation (col. 6 lines 14-26 and col. 7 lines 43-54); and  
switching circuit for switching between a first, burst data pathway and a second, pipeline data pathway depending on which of the burst or pipeline modes of operation is selected (Fig. 1 Ref. 38 and col. 5 lines 43-50, col. 6 lines 14-32 & col. 7 lines 43-54), wherein the first pathway and the second pathway are coupled to a temporary storage device for providing at least one external address (Fig. 1 Ref. 16) to the switching circuitry.



As to claim 71, Manning further discloses a counter coupled to the temporarily storage device to receive a selected portion of the external address for generating an internal address (Fig. 1 Refs. 26 and 30).

***Response to Arguments***

5. Applicant's arguments filed on 10/30/02 have been fully considered but they are not persuasive.

Applicant's argument on page 1 that the reference does not disclose switching circuit for switching between a first pathway and a second pathway is not considered persuasive.

Manning discloses switching circuit for switching between a first pathway and a second pathway (Fig. 1 Ref. 38 and col. 5 lines 43-50, col. 6 lines 14-32 & col. 7 lines 43-54).

Applicant's argument on page 2 that the reference does not disclose selecting between a burst mode and a pipeline modes of operations is not considered persuasive.

"The current invention include a pipelined architecture" (col. 5 lines 43-49 in Manning) and "switching between standard fast page mode (non-EDO) and burst mode" (see col 6 lines 14-16 & Fig. 1 and col. 7 lines 44-55 in Manning) read on this limitation, in other words, in order to work in the pipeline architecture one has to select pipeline mode. Also given the teachings of above reference one of the ordinary skill in the art at the time the invention was made would have been lead to an obvious fashion to provide a pipelined page mode circuitry since Manning discloses that the current invention include a pipelined architecture (col. 5 lines 43-49) which

would increase accessing speed. Also Ryan US Patent 5,966,724 discloses additional column addresses are latched and access are performed in a pipelined page mode (col. 4 lines 22-24). Therefore, broadly written claims are disclosed by the references cited.

In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., enabling switching between pipeline or burst operations with in the same memory, "on-the-fly") are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Therefore broadly written claims are disclosed by the references cited.

### ***Conclusion***

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

7. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after

the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

8. When responding to the office action, Applicant is advised to clearly point out the patentable novelty which he or she thinks the claims present in view of the state of the art disclosed by the references cited or the objections made. He or she must also show how the amendments avoid such references or objections. See 37 C.F.R. § 1.111(c).

9. When responding to the office action, Applicants are advised to provide the examiner with the line numbers and page numbers in the application and/or references cited to assist examiner to locate the appropriate paragraphs.

10. Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Hong Kim whose telephone number is (703) 305-3835. The Examiner can normally be reached on the weekdays from 8:30 AM to 5:00 PM.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Matt Kim, can be reached on (703) 305-3821.

Any inquiry of a general nature or relating to the status of this application should be

directed to the Group receptionist whose telephone number is (703) 305-3900.

**11. Any response to this action should be mailed to:**

Commissioner of Patents and Trademarks  
Washington, D.C. 20231

**or faxed to TC-2100:**

After-Final (703) 746-7238


Official (703) 746-7239 (for formal communications intended for

entry)

Non-Official/Draft (703) 746-7240 (for informal or draft communications, please label "PROPOSED" or "DRAFT")

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington, VA., Sixth Floor (Receptionist).

HK  
Primary Patent Examiner  
January 17, 2003

  
**HONG CHONG KIM**  
**PRIMARY EXAMINER**